

# Notice of Allowability

Application No.

09/633,032

Examiner

Barbara J. Musser

Applicant(s)

MEUWLY ET AL.

Art Unit

1733

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the interview summary dated 11/18/04.
2. ☒ The allowed claim(s) is/are 2-7,10-26 and 50-74.
3. ☒ The drawings filed on 04 August 2000 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 11/29/04.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ed Weisz on 11/29/04.

The application has been amended as follows:

**In the claims:**

In claim 12, line 2, "different" was deleted.

In claim 13, line 2, "different" was deleted.

In claim 14, line 2, "different" was deleted.

In claim 22, line 2, "comprising" was changed to --consisting of--.

In claim 23, "a glass fiber is used" has been replaced by --the reinforcement fiber is glass--.

In claim 60, line 1, "different" was deleted.

In claim 61, line 1, "different" was deleted.

In claim 62, line 1, "different" was deleted.

In claim 70, line 2, "comprising" was changed to --consisting of--.

In claim 71, "a glass fiber is used" has been replaced by --the reinforcement fiber is glass--.

**In the specification:**

The specification was amended as on the attached pages.

***Reasons for Allowance***

2. The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or fairly suggest a method of forming composite parts by forming layers of parallel fibers embedded in resin, partially curing them via ionizing radiation, stacking the layers on a non-planar support and fully curing them, wherein the degree of partial curing is determined by the ratio of either the shore D hardness of the partially cured layer to that of one fully cured being 0.5-0.7 or by the difference between the glass transition temperature of the partially cured layer and that of one fully cured being between 30 and 120C. While Green discloses partially curing the layers, the reference uses a variety of cure times, ranging from 1 second to 60 seconds with no suggestion of a desirable time length. Applicant's specification, Table, page 20, indicates the change occurs very rapidly, over a very short length of time, since in the table the claimed range occurs only between about 23 and 28 seconds. The reference does not suggest times in this range. Absent evidence showing that the difference in glass transition temperatures occurs over such a wide range that the examples in Green would meet applicant's claimed ranges, the claims are considered allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


**Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara J. Musser whose telephone number is (571) 272-1222. The examiner can normally be reached on Monday-Thursday; alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on (571)-272-1156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
BJM

  
BLAINE COPENHEAVER  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700